CEACAM1 Rabbit mAb

Cat.#: T383117 Size: 20µl 50µl 100µl

Gene ID	634
SwissProt ID	P13688
Gene Name	CEACAM1
Alternative Names	BGP-1; BGPI; CD66a; CEACAM1
Background	Plays a role as coinhibitory receptor in immune response, insulin action and functions also as an activator during angiogenesis.
Research Field	Tags & Cell Markers
Product Categories	Primary antibody
Host	Rabbit
Reactivity	Human
Application	WB,IHC-P,ICC/IF,IP
Dilution Ratio	WB: 1/500-1/1000 IHC: 1/50-1/100 IF: 1/50-1/200 IP: 1/50
Molecular Weight	Calculated MW: 58 kDa; Observed MW: 120-150 kDa
Clonality	Monoclonal Antibody
Clonality No.	R07-1T7
lsotype	lgG
Immunogen	A synthesized peptide derived from human CEACAM1
Purification	Affinity Chromatography
Conjugation	Unconjugated
Modification	Unmodified
Form	Liquid
Buffer System	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.

Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

KDa 250	Western blat analysis of CEACAN41 is CM4000 busters using CEACAN41 antibadu
150	Western blot analysis of CEACAM1 in SW480 lysates using CEACAM1 antibody.
100	
75	-
50	
37 —	
3/	
25	
20	
15	
10	